

10/675,918

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11 2	722	(715/517).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 16:55
S11 3	201	(715/522).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 16:55
S11 4	2489	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 17:55
S11 5	1235	(715/501.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/16 18:27
S11 7	322	((style css) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:28
S11 9	362	((style\$7 css) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:29
S12 0	40	((style\$7 css) with binary) with (xml html xhtml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:38
S12 1	64	((transcod\$5 translat\$5 conver\$6) with (style\$7 css xsl) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:43
S12 2	30	((compress\$5) with (style\$7 css xsl) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:47
S12 3	667	((compress\$5) with (style\$7 css xsl format) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 18:48
S12 4	64	((compress\$5) with (xml html) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:24

S12 5	13	S124 and (style\$9 css xsl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:18
S12 8	37	((decod\$5) with (xml html) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:24
S12 9	255	((encod\$5) with (xml html) with binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 19:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	53	binary with tree with manipulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:05
L4	30	compress\$5 with style\$9 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:07
L5	39	encod\$5 with style\$9 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:16
L6	64	encod\$5 with html with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:16
L8	321	style\$5 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:37
L9	52	8 and (html)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:18
L10	547	html with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 13:38
L11	226	(conver\$5 translat\$5) with (xml html) with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 15:21
L12	106	html with style\$9 with wml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/20 15:22
L13	10	("6589291").URPN.	USPAT	OR	ON	2006/02/20 15:38
L15	28	style\$5 with with\$1 with (html xml)	USPAT	OR	ON	2006/02/20 15:49
L16	1	resolv\$5 with style\$5 with (html xml)	USPAT	OR	ON	2006/02/20 15:49
L17	7	reduc\$5 with style\$5 with (html xml)	USPAT	OR	ON	2006/02/20 15:53
L18	86	style\$5 with (html) with css	USPAT	OR	ON	2006/02/20 16:29
L25	11	modif\$5 with style\$5 with (html)	USPAT	OR	ON	2006/02/20 16:33
L27	88	subset with style\$5	USPAT	OR	ON	2006/02/20 16:34

10/675,918

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

compress html stylesheet binary file

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 238,000 for compress html stylesheet binary file. (0.25 seconds)

MIME AND THE WEB -- THE MIME CONTENT-TYPE 3

Text and Text-Related; **HTML Stylesheet**; Image; Audio/Voice/Music; Video; Special HTTP/Web Application; Application Types. Text-related; Archive/**Compressed** ...
www.utoronto.ca/ian/books/html4ed/appb/mimetype.html - 29k - [Cached](#) - [Similar pages](#)

MIME AND THE WEB -- THE MIME CONTENT-TYPE

Text and Text-Related; **HTML Style sheet**; Image; Audio/Voice/Music; Video; Special HTTP/Web Application; Application Types. Text-related; Archive/**Compressed** ...
www.utoronto.ca/ian/books/xhtml1/mime/mimetype.html - 30k - [Cached](#) - [Similar pages](#)

Title Index

... Extensible **Stylesheet** Language (XSL) Version 1.1 Requirements ... Information technology — Digital **compression** and coding of continuous-tone still ...
dret.net/biblio/titles - 513k - [Cached](#) - [Similar pages](#)

High-Tech Dictionary File Types

This **file** type, downloaded as MacBinary or **Binary**, can be decompressed with ... Tar archives **files** but does not **compress** them, so sometimes .tar **files** are ...
www.computeruser.com/resources/dictionary/filetypes.html - 87k - [Cached](#) - [Similar pages](#)

File Types

Accessed as **binary files** on the client. Stored **compressed** within the depot. ... Cascading **style sheet file** .doc. **binary**. Microsoft Word document .dot ...
www.perforce.com/perforce/doc.052/manuals/cmdref/o.ftypes.html - 34k - [Cached](#) - [Similar pages](#)

Tech Dictionary™ Filename Extensions, TechDictionary.com

EPS (vector graphics) .aif — Audio Interchange **File** Format or AIFF Sound .aifc — AIFF Sound **Compressed** .aiff — AIFF Sound .air — Audio ...
www.techdictionary.com/filename.html - 29k - [Cached](#) - [Similar pages](#)

Common File Format Names

GZ -Unix **compressed file**. HEX -**Binary** hex(binhex) **file**. ... SHTML -HTML **file** that supports Server Side Includes(SSI). SIT -**Compressed** Macintosh Stuffit ...
www.digitek-asi.com/file_formats.html - 23k - [Cached](#) - [Similar pages](#)

Common File Extensions

This table gives the common 3 character **file** extensions for current applications and ... GZ - Unix **compressed file**. HEX - Macintosh **binary** hex(binhex) **file**. ...
www.csgnnetwork.com/commonfileexts.html - 24k - [Cached](#) - [Similar pages](#)

Internet File Formats | file types you'll meet on the net ...

BIN — Mac **BiNary** archive. A way of **compressing** many **files** into one together, ... Most pages you create for a website will be **HTML files** — What is **HTML**? ...
www.yourhtmlsource.com/starthere/fileformats.html - 25k - [Cached](#) - [Similar pages](#)

Jakarta POI - HWPF - Java API to Handle Microsoft Word Files

All text formatting is based on styles contained in the **StyleSheet**. ... Each style description is stored in a **compressed** version on **file**. ...
jakarta.apache.org/poi/hwpf/docoverview.html - 12k - [Cached](#) - [Similar pages](#)

New Debian alpha Packages - fa.linux.debian - Apr 26, 1999

Googoooooooooooooogle ▶



9:33 AM

Search

2/20/06

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

compress html stylesheet binary file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 238,000 for compress html stylesheet binary file. (0.14 seconds)

What Is...every file format in the world - A through EASP, Active Server Page (an **HTML file** containing a Microsoft ... CAB, Microsoft cabinet file (program files **compressed** for software distribution) ...www.ace.net.nz/tech/TechFileFormat.html - 94k - [Cached](#) - [Similar pages](#)SimplytheBest Common File FormatsBIN - **Binary file** BMP - Bitmap format file BZ2 - Bzip2 **compressed file** C - C source file ...XSL - XML **style sheet** ZIP - **Compressed** zip archive file ...simplythebest.net/info/pc/file_formats.html - [Similar pages](#)sheets.map - Guessing the type of a file *- Makefile *- # This ...

The special STYLE-KEY 'binary' tells a2ps to consider that the file ... would match

'compressed' # too! sed: /**sed**/ <*/sed*> # a2ps' **style sheet** files ssh: ...www-inf.enst.fr/~demaille/a2ps/sheets/sheets.mp - 10k - [Cached](#) - [Similar pages](#)carto.net - Comparing .SWF (ShockWave Flash) and .SVG (Scalable ...However uncompressed .swf files seem to be smaller than unzipped .svg due to the fact it is a **binary** format. In order to get an impression about the file ...www.carto.net/papers/svg/comparison_flash_svg/ - 42k - [Cached](#) - [Similar pages](#)Software file suffixesComputer file suffixes. ... Extensible Markup Language file XML **Stylesheet** WinZip (**compressed**) file. WinZip (**compressed**) file WinZip (**compressed**) file ...www.buildingcatalogue.com.au/infotables/filenames.html - 45k - [Cached](#) - [Similar pages](#)Princeton Imaging - Glossary of Imaging TermsUses a variant of JBIG2 **compression** for **binary** image data and wavelets for ... **Style****Sheet**: Unlike **HTML**, XML has no tags to define presentation such as ...www.princetonimaging.com/scanning/glossary/ - 28k - [Cached](#) - [Similar pages](#)Definitions, Dictionary for Internet & Computer Technologies ...CAB, Microsoft cabinet file (program files **compressed** for software distribution) ... CBI,Column **binary file** (used in IBM mainframe systems) ...whatis.techtarget.com/fileFormatC/0,289938,sid9,00.html - 74k - [Cached](#) - [Similar pages](#)The top file extensions Windows site_ = Audio Utility Midimach **compressed file**: C# = Microsoft c# ... Queries: CSS = Internet**HTML** Cascading **Style Sheet**: CSS = Mime: application/x-pointplus ...www.file-ext.com/c.html - 58k - [Cached](#) - [Similar pages](#)XML in 10 pointsCSS, the **style sheet** language, is applicable to XML as it is to **HTML**. ... XML files are nearly always larger than comparable **binary** formats. ...www.w3.org/XML/1999/XML-in-10-points-19990327 - 11k - [Cached](#) - [Similar pages](#)AnalogousMemberFile Format: Unrecognized - [View as HTML](#)... which lets Kermit know that you are transferring a **binary file**. ... The default **stylesheet** doesn't handle advanced **HTML** formatting in the entry all that ...www.analogousmember.com/index.xml - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

compress html stylesheet binary file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 21 - 30 of about 238,000 for compress html stylesheet binary file. (0.11 seconds)

G64: A brief guide to HTML

In all cases your **HTML file** will need a valid filename (filename.html or ... These **file** types are treated as **binary** data, and are copied unmodified to the ...

[www.cam.ac.uk/cs/docs/leaflets/g64/](#) - 67k - [Cached](#) - [Similar pages](#)

The top file extensions Windows site

Formatted text, mixed ascii and **binary**: DOC = Palm Pilot DOC file format: DOC = PFS ...

Drawing Web File **compressed** image: DWF = Mime: drawing/x-dwf ...

[www.file-ext.com/d.html](#) - 59k - [Cached](#) - [Similar pages](#)

Compufiles--Freeware, Site Tools, Win/Tech Tips.... Web Design Tools

A session log **file** is also available. **HTML Compress HTML Compress** eliminates ... FTP

Works lets you transfer both ASCII and **binary files** and you can create, ...

[www.compufiles.com/webdesign.html](#) - 31k - [Cached](#) - [Similar pages](#)

Manpage of SUFFIXES

or **file compressed** using freeze .S, assembler source with cpp(1) directives ... Message

catalog **binary file** .mod, Modula-2 source for implementation modules ...

[homepages.cwi.nl/~aeb/ linux/man2html/man7/suffixes.7.html](#) - 23k -

[Cached](#) - [Similar pages](#)

Common File Formats

GZ - Unix **compressed file**. - H - HEX - Macintosh **binary** hex(binhex) **file**. ... SHTML -

HTML file that supports Server Side Includes(SSl). SIT - **Compressed** ...

[www.techutorials.net/reference/fileformats.shtml](#) - 35k - [Cached](#) - [Similar pages](#)

Software Download: Html-editor

Strip **HTML** - removes any **HTML** tags. **Compress HTML** - removes characters that ... 010

Editor is a professional hex editor designed to edit any **binary file**, ...

[www.sharewareconnection.com/titles/html-editor8.htm](#) - 98k - [Cached](#) - [Similar pages](#)

Yahoo! GeoCities

nav, Microsoft extension, xsl, FileMaker XML **stylesheet**. opf, FlipAlbum, xslt, XSL

transform. pas, pascal, zip, **compressed file** ...

[us.geocities.yahoo.com/v/filetypes.html](#) - 30k - [Cached](#) - [Similar pages](#)

XML in 10 points

... and **compression** programs like zip and gzip can **compress files** very well and ... CSS , the **style sheet** language, is applicable to XML as it is to **HTML**. ...

[www.w3.org/XML/1999/XML-in-10-points.html](#) - 13k - [Cached](#) - [Similar pages](#)

HP OpenVMS systems - XML

... they are larger than equivalent **binary files**, but they can be easily **compressed**. ... CSS, the **stylesheet** language, is applicable to XML and to **HTML**. ...

[h71000.www7.hp.com/openvms/ products/ips/xml/overview.html](#) - 37k -

[Cached](#) - [Similar pages](#)

From Open Source to Open Standard: The OASIS OpenDocument Format

The **file** format used by StarOffice 5.0 was a **binary file** format, ... This means that the same XSLT **stylesheets** that are for instance used to print a custom ...

www.idealalliance.org/proceedings/xttech05/papers/03-02-02/ - 46k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

compress html stylesheet binary file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 31 - 40 of about 238,000 for compress html stylesheet binary file. (0.20 seconds)

XML and XSL from servers to cell-phones

Stylesheets: An XSLT compiler can translate XSL source into **compressed** ... into **compressed binary** data leading to faster load times and smaller **file** sizes. ...

www.gca.org/papers/xml/europe2000/papers/s35-02.html - 22k - [Cached](#) - [Similar pages](#)

MIME : Java Glossary

Sometimes htm and **html** files are parsed for embedded commands too. ... What if you need to transmit control characters, 8 bit **binary** or 16 bit data? ...

mindprod.com/jgloss/mime.html - 57k - [Cached](#) - [Similar pages](#)

Glossary

Lossless **compression** allows the **file** to be uncompressed, rebuilt in its original ... an XSL **Stylesheet** to be displayed in almost any format (including **html**, ...

emeld.org/school/glossary.html - 60k - [Cached](#) - [Similar pages](#)

Symbiotic Design Article: File Formats

UU-Encoding turnd **binary** files into text for easier distribution through email. ... XSL, XML **Style** sheet document. ZIP, Windows **compressed** ZIP archive. ...

www.symbioticdesign.com/articles/tech/fileformats.html - 83k - [Cached](#) - [Similar pages](#)

XSL FO Sample Copyright © 1996-2005 Antenna House, Inc. All rights ...

File Format: Unrecognized - [View as HTML](#)

A A aiff AIFF file ani Animation cursor avi Windows dynamic image file B B bak ... **compressed** file H H hlp Help file htm **HTML** file/HTML document **html** **HTML** ...

www.antennahouse.com/XSL/sample/fo/sample-marker_1.fo - [Similar pages](#)

Adult Literacy and Basic Education Teacher Technology Competencies ...

... Can use advanced **HTML** elements, **stylesheets**, troubleshoot browser ... **Files**, Can save and open **files**, Can copy **files** to / from removable media ...

www.alri.org/mailt/abecomps.html - 18k - [Cached](#) - [Similar pages](#)

SGI TPL View (suffixes.7)

F | Fortran source with cpp(1) directives | or **file** **compressed** using freeze mm - format .mo | Message catalog **binary** file .mod | Modula-2 source for ...

techpubs.sgi.com/.../getdoc.cgi?coll=linux&db=man&fname=/usr/share/calman/man7/suffixes.7.html - 18k - [Cached](#) - [Similar pages](#)

Webmaster Glossary | glossary of Internet jargon || HTMLSource]

One of several **compression** techniques (this one's by Microsoft) for Internet ... You can learn how to save as a **.html** file, see a list of commonly-met **file** ...

www.yourhtmlsource.com/starthere/glossary.html - 39k - [Cached](#) - [Similar pages](#)

File extensions

file **compressed** using the arc program. It can be decompressed by several ... cascading **style** sheet file, used to define a cascading **style** sheet for a web ...

www.prepressure.com/library/extension.htm - 75k - [Cached](#) - [Similar pages](#)

NARA - Records Management - Initiatives: Web Content Guidance

6.3.3.2 Agencies must transfer Cascading Style Sheets used in **HTML** files transferred ...

7.2.2 Web content records must not be **compressed** (eg, WinZip, ...

www.archives.gov/records-mgmt/initiatives/web-content-records.html - 45k -

[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about **395,000** for **encode html stylesheet binary file**. (0.33 seconds)**File input (or "upload") in HTML forms**

The idea behind **file** input in **HTML** forms is to let users include entire **files** from ... For **binary** data, such as images, **file** input would be not just more ...

www.cs.tut.fi/~jkorpela/forms/file.html - 64k - [Cached](#) - [Similar pages](#)

Title Index

... An Evaluation of **Binary XML Encoding** Optimizations for Fast Stream Based XML ...
 Extensible **Stylesheet** Language (XSL) Version 1.1 Requirements ...

dret.net/biblio/titles - 513k - [Cached](#) - [Similar pages](#)

PHP Functions and Other Bits

Images, **stylesheets** and external javascripts are requested and **encoded** right into the **HTML** page so no external **files** are required. Save pages for emailing, ...

www.greywyvern.com/php - 14k - [Cached](#) - [Similar pages](#)

High-Tech Dictionary File Types

BIN, Driver .bin, A MacBinary II **encoded file** (filename extension). This **file** type, downloaded as MacBinary or **Binary**, can be decompressed with Stuffit ...

www.computeruser.com/resources/dictionary/filetypes.html - 87k - [Cached](#) - [Similar pages](#)

XML File Explorer

Base 64 **encoding** of **binary files**; Comma Separated Values (CSV) ... Powerful XHTML Tools for converting **HTML** to XHTML, validating XHTML, transforming XML to ...

www.stylusstudio.com/xml_file_explorer.html - 24k - [Cached](#) - [Similar pages](#)

Software Download: Html Encoding

Base 64 is the **Encoding** Method usually used for **Binary files** in MIME messages. ... Automatic Tag Completion & **HTML Tidy** & **Style Sheet** Support. ...

www.sharewareconnection.com/titles/html-encoding.htm - 90k - [Cached](#) - [Similar pages](#)

HTML Parameter Reference

html.base - An **HTML** base URI; **html.stylesheet.type** - The type of the **stylesheet** ...

htmlhelp.encoding - Character **encoding** to use in **files** for **HTML** Help ...

www.xmlmind.com/xmleditor/_distrib/doc/docbook_xsl/doc/html/ - 53k -

[Cached](#) - [Similar pages](#)

General Purpose PostScript Generating Utility - 5 Library Files

'encoding.map': Resolving encodings aliases. **'fonts.map'**: Mapping font names to font **file** names. **'sheets.map'**: Rules to decide what **style sheet** to use. ...

www-inf.enst.fr/~demaille/a2ps/doc-4.10/a2ps_5.html - 11k - [Cached](#) - [Similar pages](#)

Encoding

... or put the **encoded** bits for the character into the **binary** document ... it ... 1) The "&#xxx;" notation in XML and **HTML files** are character references, ...

www.dpawson.co.uk/xsl/sect2/N3353.html - 43k - [Cached](#) - [Similar pages](#)

uuencode Linux Commands: Encode a binary file uudecode Decode a ...

Uuencode and uudecode are used to transmit **binary files** over transmission mediums that do not support other ... **HTML Entity(encoding)** · Create **Style Sheet** ...

webtools.live2support.com/linux/uuencode.php - 14k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

Search
[Advanced Search](#)
[Preferences](#)
Web

Results 11 - 20 of about 395,000 for encode html stylesheet binary file. (0.12 seconds)

XML Files: XML Encoding, DTDs and Namespaces, Binary Data ...

XML Files: XML Encoding, DTDs and Namespaces, **Binary Data**, ... If you base64-encode the **binary** data, you avoid all of these problems since it doesn't ...

msdn.microsoft.com/msdnmag/issues/01/05/xml/ - 39k - [Cached](#) - [Similar pages](#)

XSLT list Basics

XSL **stylesheets** are XML **files**, and XML **files** are text **files**, ... If you need to refer to a **binary** file such as a PDF **file**, you should put the **file** on a Web ...

www.dpawson.co.uk/xsl/list.html - 18k - [Cached](#) - [Similar pages](#)

Cover Pages: Software - Extensible Stylesheet Language (XSL)

Rhythmyx XSpLit - goes 'backwards' from **HTML files** to XSL and XML. ... The **style sheet** will thus produce an **HTML** page that looks like the original **HTML** but ...

xml.coverpages.org/xslSoftware.html - 171k - [Cached](#) - [Similar pages](#)

Cover Pages: SGML/XML: Related Standards

ZIP archive contains the **stylesheet** and two **HTML test files**. ... 8632.3:1992 (Part 3: **Binary Encoding**); ISO/IEC 8632.4:1992 (Part 4: **Clear Text Encoding**); ...

xml.coverpages.org/related.html - 153k - [Cached](#) - [Similar pages](#)

[xsl] Binary characters in XML

into a **binary** file with the contents being the value of the **binary** element in the above using the following XSLT **stylesheet**: `<?xml version="1.0"?>` ...

www.biglist.com/lists/xsl-list/archives/200306/msg01353.html - 7k - [Cached](#) - [Similar pages](#)

Convert to XML

... enabling you to convert any legacy data format (EDI, EDIFACT, x12, **Binary**, **HTML**, TSV, CSV, etc. ... Convert any Legacy File Format or **Encoding** to XML ...

www.stylusstudio.com/convert_to_xml.html - 25k - [Cached](#) - [Similar pages](#)

From Open Source to Open Standard: The OASIS OpenDocument Format

The **file** format used by StarOffice 5.0 was a **binary** file format, ... This means that the same XSLT **stylesheets** that are for instance used to print a custom ...

www.idealliance.org/proceedings/xtech05/papers/03-02-02/ - 46k - [Cached](#) - [Similar pages](#)

Xalan-C++ Basic usage patterns

Xerces-C++ and Xalan-C++ use UTF-16 **encoding** to work with Unicode data. ... Note, If the XML input **file** contains a **stylesheet** processing instruction that ...

xml.apache.org/xalan-c/usagepatterns.html - 112k - [Cached](#) - [Similar pages](#)

Perl-tutorials

Method 3 is a variation of method 1 which works for **binary** files. ... Using JavaScript to change the values of attributes on the **style sheet** ...

savage.net.au/Perl-tutorials.html - 43k - [Cached](#) - [Similar pages](#)

Tech Dictionary™ Filename Extensions, TechDictionary.com

Filename extensions are used to tell which program created the **file**. ... Driver .bin --- A MacBinary II+ **encoded** **file** .**binary** --- Untyped **Binary** Data ...

www.techdictionary.com/filename.html - 29k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google